ELSEVIER

Molecular Brain Research 35 (1996) 360–362

MOLECULAR BRAIN RESEARCH

Author Index

Acs, G., Lee, J., Marquez, V.E. and Blumberg, P.M.
Distinct structure-activity relations for stimulation of ^{45}Ca uptake and for high affinity binding in cultured rat dorsal root ganglion neurons and dorsal root ganglion membranes (35) 173
Andoh, T., Nagasawa, T. and Kuraishi, Y.
Expression of tachykinin NK1 receptor mRNA in dorsal root ganglia of the mouse (35) 329
Arilla, E., see Puebla, L. (35) 77

Baker, E., see Handford, C.A. (35) 211
Blohm, D.H., see Steller, U. (35) 285
Blumberg, P.M., see Acs, G. (35) 173
Borovitskaya, A.E., Evtushenko, V.I. and Sabol, S.L.
Gamma-radiation-induced cell death in the fetal rat brain possesses molecular characteristics of apoptosis and is associated with specific messenger RNA elevations (35) 19
Bourbonnière, M. and Nalbantoglu, J.
The helix-loop-helix transcription factor USF interacts with the basal promoter of human amyloid precursor protein (35) 304
Brown, G.B., see Lombardo, A.J. (35) 84
Brown, H.E., see Quiñones-Jenab, V. (35) 297
Buckland, P.R., Spurlock, G. and McGuffin, P.
Amphetamine and vigabatrin down regulate aromatic L-amino acid decarboxylase mRNA levels (35) 69

Cacicedo, L., see Tolón, R.M. (35) 103
Cagampang, F.R.A., Rattray, M., Powell, J.F., Chong, N.W.S., Campbell, I.C. and Coen, C.W.
Circadian variation of EAAC1 glutamate transporter messenger RNA in the rat suprachiasmatic nuclei (35) 190
Campbell, I.C., see Cagampang, F.R.A. (35) 190
Cariola, M., see Kaech, S. (35) 344
Chaudhury, S., see Poddar, R. (35) 111
Chen, H., Zhang, L., Rubinow, D.R. and Chuang, D.-M.
Chronic buspirone treatment differentially regulates 5-HT_{1A} and 5-HT_{2A} receptor mRNA and binding sites in various regions of the rat hippocampus (Mol. Brain Res. 32 (1995) 348–353) (35) 359
Chong, N.W.S., see Cagampang, F.R.A. (35) 190
Chow, W.-Y., see Kung, S.-S. (35) 119
Chuang, D.-M., see Chen, H. (35) 359
Climent, S., see Sarasa, M. (35) 269
Coen, C.W., see Cagampang, F.R.A. (35) 190
Cohen, D.L., see Kalaria, R.N. (35) 58
Colangelo, A.M., Pani, L. and Mocchetti, I.
Correlation between increased AP-1_{NGF} binding activity and induction of nerve growth factor transcription by multiple signal transduction pathways in C6-2B glioma cells (35) 1
Craddock, S., see Holtz, M.L. (35) 339

Dano, M., see Ebstein, R.P. (35) 260
Daunais, J.B. and McGinty, J.F.
The effects of D_1 or D_2 dopamine receptor blockade on *zif/268* and preprodynorphin gene expression in rat forebrain following a short-term cocaine binge (35) 237
Davis, W., see Rylett, R.J. (35) 354
De Blas, A.L., see Gutiérrez, A. (35) 91
Dewji, N.N. and Do, C.
Heat shock factor-1 mediates the transcriptional activation of Alzheimer's β-amyloid precursor protein gene in response to stress (35) 325
Diéguez, C., see Lago, F. (35) 220
Do, C., see Dewji, N.N. (35) 325
Domínguez, F., see Lago, F. (35) 220
Drengler, S.M., Handa, R.J. and Jones, K.J.
Sex differences in androgen receptor mRNA levels and regulation in hamster facial motoneurons (35) 131

Ebstein, R.P., Nemanov, L., Lubarski, G., Dano, M., Trevis, T. and Korczyn, A.D.
Changes in expression of lymphocyte amyloid precursor protein mRNA isoforms in normal aging and Alzheimer's disease (35) 260
Emson, P.C., see Lago, F. (35) 220
Evtushenko, V.I., see Borovitskaya, A.E. (35) 19

Fernández Vázquez, G., see Tolón, R.M. (35) 103
Ford, J.H., see Handford, C.A. (35) 211
Fredholm, B.B., see Svenningsson, P. (35) 183

Geller, A.I., see Oh, Y.J. (35) 227
Gietzen, D.W. and Jhanwar-Uniyal, M.
Alpha$_2$ noradrenoceptors in the anterior piriform cortex decline with acute amino acid deficiency (35) 41
Gillespie, L.L., see Reynolds, J.N. (35) 11
Gutiérrez, A., Khan, Z.U., Miralles, C.P. and De Blas, A.L.
Altered expression of γ_{2L} and γ_{2S} $GABA_A$ receptor subunits in the aging rat brain (35) 91

Handa, R.J., see Drengler, S.M. (35) 131
Handford, C.A., Lynch, J.W., Baker, E., Webb, G.C., Ford, J.H., Sutherland, G.R. and Schofield, P.R.
The human glycine receptor β subunit: primary structure, functional characterisation and chromosomal localisation of the human and murine genes (35) 211
Heimrich, B., see Just, L. (35) 157
Hijikuro, M., see Ohkura, N. (35) 309
Hiremagalur, B., see Nankova, B. (35) 164
Holtz, M.L., Kindy, M.S., Craddock, S., Moore, R.W. and Pettigrew, L.C.
Induction of PGH synthase and c-*fos* mRNA during early reperfusion of ischemic rat brain (35) 339

Imai, Y., see Taguchi, A. (35) 31
Imaizumi, K., see Tsuda, M. (35) 314
Inoue, K., see Minami, Y. (35) 319
Inoue, K., see Morimura, H. (35) 333
Ishimoto, I., see Morimura, H. (35) 333

Jarrott, B., see McLean, K.J. (35) 249
Jenab, S., see Quiñones-Jenab, V. (35) 297
Jhanwar-Uniyal, M., see Gietzen, D.W. (35) 41
Johansson, B., see Svenningsson, P. (35) 183
Jones, K.J., see Drengler, S.M. (35) 131
Just, L., Olenik, C., Heimrich, B. and Meyer, D.K.
Expression of the proenkephalin A gene in organotypic cultures of neocortex from newborn rats (35) 157

Kaech, S., Kim, J.B., Cariola, M. and Ralston, E.
Improved lipid-mediated gene transfer into primary cultures of hippocampal neurons (35) 344
Kalaria, R.N., Premkumar, D.R.D., Pax, A.B., Cohen, D.L. and Lieberburg, I.
Production and increased detection of amyloid β protein and amyloidogenic fragments in brain microvessels, meningeal vessels and choroid plexus in Alzheimer's disease (35) 58

Khan, Z.U., see Gutiérrez, A. (35) 91
Kim, J.B., see Kaech, S. (35) 344
Kim, S.-Y., see Zhang, L.-X. (35) 278
Kindy, M.S., see Holtz, M.L. (35) 339
Kitagawa, K., see Tsuda, M. (35) 314
Kohls, S., see Steller, U. (35) 285
Korczyn, A.D., see Ebstein, R.P. (35) 260
Kung, S.-S., Wu, Y.-M. and Chow, W.-Y.
Characterization of two fish glutamate receptor cDNA molecules: absence of RNA editing at the Q/R site (35) 119
Kuraishi, Y., see Andoh, T. (35) 329
Kuzniecky, R., see Lombardo, A.J. (35) 84

Lago, F., Señarís, R.M., Emson, P.C., Domínguez, F. and Diéguez, C.
Evidence for the involvement of non-androgenic testicular factors in the regulation of hypothalamic somatostatin and GHRH mRNA levels (35) 220
Lawrence, A.J., see McLean, K.J. (35) 249
Lee, J., see Acs, G. (35) 173
Lieberburg, I., see Kalaria, R.N. (35) 58
Lombardo, A.J., Kuzniecky, R., Powers, R.E. and Brown, G.B.
Altered brain sodium channel transcript levels in human epilepsy (35) 84
López Fernández, J., see Tolón, R.M. (35) 103
Lorenzo, M.J., see Tolón, R.M. (35) 103
Lubarski, G., see Ebstein, R.P. (35) 260
Lynch, J.W., see Handford, C.A. (35) 211

Marquez, V.E., see Acs, G. (35) 173
Martin, J.H., Mohit, A.A. and Miller, C.A.
Developmental expression in the mouse nervous system of the p49^{3F12} SAP kinase (35) 47
Masos, T. and Miskin, R.
Localization of urokinase-type plasminogen activator mRNA in the adult mouse brain (35) 139
Matsumoto, K., see Taguchi, A. (35) 31
Matsunaga, T., see Minami, Y. (35) 319
McCabe, B.J., see Meberg, P.J. (35) 149
McGinty, J.F., see Daunais, J.B. (35) 237
McGuffin, P., see Buckland, P.R. (35) 69
McLean, K.J., Jarrott, B. and Lawrence, A.J.
Neuropeptide Y gene expression and receptor autoradiography in hypertensive and normotensive rat brain (35) 249
Meberg, P.J., McCabe, B.J. and Routtenberg, A.
MARCKS and protein F1/GAP-43 mRNA in chick brain: effects of imprinting (35) 149
Menezes, A., see Nankova, B. (35) 164
Mengod, G., see Sarasa, M. (35) 269
Meyer, D.K., see Just, L. (35) 157
Miki, K., see Ohkura, N. (35) 309
Miller, C.A., see Martin, J.H. (35) 47
Minami, Y., Shimada, S., Inoue, K., Morimura, H., Miyai, A., Yamauchi, A., Matsunaga, T. and Tohyama, M.
Expression of Na^+/*myo*-inositol cotransporter mRNA in the inner ear of the rat (35) 319
Minami, Y., see Morimura, H. (35) 333
Miralles, C.P., see Gutiérrez, A. (35) 91
Miskin, R., see Masos, T. (35) 139
Miyai, A., see Minami, Y. (35) 319
Miyai, A., see Morimura, H. (35) 333
Mocchetti, I., see Colangelo, A.M. (35) 1
Moffat, M., see Oh, Y.J. (35) 227
Mohit, A.A., see Martin, J.H. (35) 47
Moore, R.W., see Holtz, M.L. (35) 339
Mori, T., see Taguchi, A. (35) 31
Morimura, H., Shimada, S., Otori, Y., Yamauchi, A., Minami, Y., Inoue, K., Miyai, A., Ishimoto, I., Tano, Y. and Tohyama, M.
Expression of Na^+/ *myo*-inositol cotransporter mRNA in normal and hypertonic stress rat eyes (35) 333
Morimura, H., see Minami, Y. (35) 319
Müller, B., see Steller, U. (35) 285
Müller, R., see Steller, U. (35) 285
Muniesa, P., see Sarasa, M. (35) 269

Nagasawa, T., see Andoh, T. (35) 329
Nalbantoglu, J., see Bourbonnière, M. (35) 304
Nankova, B., Hiremagalur, B., Menezes, A., Zeman, R. and Sabban, E.
Promoter elements and second messenger pathways involved in transcriptional activation of tyrosine hydroxylase by ionomycin (35) 164
Naylor, P., Stewart, C.A., Wright, S.R., Pearson, R.C.A. and Reid, I.C.
Repeated ECS induces GluR1 mRNA but not NMDAR1A–G mRNA in the rat hippocampus (35) 349
Nemanov, L., see Ebstein, R.P. (35) 260

Oh, Y.J., Moffat, M., Wong, S., Ullrey, D., Geller, A.I. and O'Malley, K.L.
A herpes simplex virus-1 vector containing the rat tyrosine hydroxylase promoter directs cell type-specific expression of beta-galactosidase in cultured rat peripheral neurons (35) 227
Ohkura, N., Hijikuro, M. and Miki, K.
Antisense oligonucleotide to NOR-1, a novel orphan nuclear receptor, induces migration and neurite extension of cultured forebrain cells (35) 309
Olenik, C., see Just, L. (35) 157
O'Malley, K.L., see Oh, Y.J. (35) 227
Otori, Y., see Morimura, H. (35) 333

Palacios, J.M., see Sarasa, M. (35) 269
Pani, L., see Colangelo, A.M. (35) 1
Paterno, G.D., see Reynolds, J.N. (35) 11
Paul, S., see Poddar, R. (35) 111
Pax, A.B., see Kalaria, R.N. (35) 58
Pearson, R.C.A., see Naylor, P. (35) 349
Pettigrew, L.C., see Holtz, M.L. (35) 339
Pfaff, D.W., see Quiñones-Jenab, V. (35) 297
Poddar, R., Paul, S., Chaudhury, S. and Sarkar, P.K.
Regulation of actin and tubulin gene expression by thyroid hormone during rat brain development (35) 111
Post, R.M., see Zhang, L.-X. (35) 278
Powell, J.F., see Cagampang, F.R.A. (35) 190
Powers, R.E., see Lombardo, A.J. (35) 84
Prasad, A., see Reynolds, J.N. (35) 11
Premkumar, D.R.D., see Kalaria, R.N. (35) 58
Puebla, L., Rodríguez-Martín, E. and Arilla, E.
Hippocampal somatostatin receptors and modulation of adenylyl cyclase activity in histamine-treated rats (35) 77

Quiñones-Jenab, V., Zhang, C., Jenab, S., Brown, H.E. and Pfaff, D.W.
Anesthesia during hormone administration abolishes the estrogen induction of preproenkephalin mRNA in ventromedial hypothalamus of female rats (35) 297

Ralston, E., see Kaech, S. (35) 344
Rattray, M., see Cagampang, F.R.A. (35) 190
Reid, I.C., see Naylor, P. (35) 349
Reynolds, J.N., Prasad, A., Gillespie, L.L. and Paterno, G.D.
Developmental expression of functional $GABA_A$ receptors containing the $\gamma 2$ subunit in neurons derived from embryonal carcinoma (P19) cells (35) 11
Rodríguez-Martín, E., see Puebla, L. (35) 77
Rosen, J.B., see Zhang, L.-X. (35) 278
Routtenberg, A., see Meberg, P.J. (35) 149
Rubinow, D.R., see Chen, H. (35) 359
Rylett, R.J., Walters, S.A. and Davis, W.
Identification and partial characterization of the high-affinity choline carrier from rat brain striatum (35) 354

Sabban, E., see Nankova, B. (35) 164
Sabol, S.L., see Borovitskaya, A.E. (35) 19
Sánchez-Franco, F., see Tolón, R.M. (35) 103
Sarasa, M., Terrado, J., Mengod, G., Climent, S., Muniesa, P. and Palacios, J.M.
Differential expression of α-CGRP and β-CGRP genes within hypoglossal motoneurons in response to axotomy (35) 269
Sarkar, P.K., see Poddar, R. (35) 111
Schlender, J., see Steller, U. (35) 285
Schofield, P.R., see Handford, C.A. (35) 211
Señarís, R.M., see Lago, F. (35) 220
Shimada, S., see Minami, Y. (35) 319
Shimada, S., see Morimura, H. (35) 333
Sivam, S.P.
Dopaminergic regulation of striatonigral tachykinin and dynorphin gene expression: a study with the dopamine uptake inhibitor GBR-12909 (35) 197
Smith, M.A., see Zhang, L.-X. (35) 278
Söller, R., see Steller, U. (35) 285
Spurlock, G., see Buckland, P.R. (35) 69
Steller, U., Kohls, S., Müller, B., Söller, R., Müller, R., Schlender, J. and Blohm, D.H.
The RNA binding protein HuD: rat cDNA and analysis of the alternative spliced mRNA in neuronal differentiating cell lines P19 and PC12 (35) 285
Stewart, C.A., see Naylor, P. (35) 349
Sutherland, G.R., see Handford, C.A. (35) 211
Svenningsson, P., Johansson, B. and Fredholm, B.B.
Caffeine-induced expression of c-*fos* mRNA and NGFI-A mRNA in caudate putamen and in nucleus accumbens are differentially affected by the *N*-methyl-D-aspartate receptor antagonist MK-801 (35) 183

Tagaki, T., see Taguchi, A. (35) 31
Taguchi, A., Wanaka, A., Mori, T., Matsumoto, K., Imai, Y., Tagaki, T. and Tohyama, M.

Molecular cloning of novel leucine-rich repeat proteins and their expression in the developing mouse nervous system (35) 31
Takagi, T., see Tsuda, M. (35) 314
Tano, Y., see Morimura, H. (35) 333
Terrado, J., see Sarasa, M. (35) 269
Tohyama, M., see Taguchi, A. (35) 31
Tohyama, M., see Tsuda, M. (35) 314
Tohyama, M., see Minami, Y. (35) 319
Tohyama, M., see Morimura, H. (35) 333
Tolón, R.M., Sánchez-Franco, F., López Fernández, J., Lorenzo, M.J., Fernández Vázquez, G. and Cacicedo, L. Regulation of somatostatin gene expression by veratridine-induced depolarization in cultured fetal cerebrocortical cells (35) 103
Trevis, T., see Ebstein, R.P. (35) 260
Tsuda, M., Kitagawa, K., Imaizumi, K., Wanaka, A., Tohyama, M. and Takagi, T. Induction of SPI-3 mRNA, encoding a serine protease inhibitor, in gerbil hippocampus after transient forebrain ischemia (35) 314

Ullrey, D., see Oh, Y.J. (35) 227

Walters, S.A., see Rylett, R.J. (35) 354
Wanaka, A., see Taguchi, A. (35) 31
Wanaka, A., see Tsuda, M. (35) 314
Webb, G.C., see Handford, C.A. (35) 211
Weiss, S.R.B., see Zhang, L.-X. (35) 278
Wong, S., see Oh, Y.J. (35) 227
Wright, S.R., see Naylor, P. (35) 349
Wu, Y.-M., see Kung, S.-S. (35) 119

Yamauchi, A., see Minami, Y. (35) 319
Yamauchi, A., see Morimura, H. (35) 333

Zeman, R., see Nankova, B. (35) 164
Zhang, C., see Quiñones-Jenab, V. (35) 297
Zhang, L., see Chen, H. (35) 359
Zhang, L.-X., Smith, M.A., Kim, S.-Y., Rosen, J.B., Weiss, S.R.B. and Post, R.M. Changes in cholecystokinin mRNA expression after amygdala kindled seizures: an in situ hybridization study (35) 278